


1 / 2 1


Fig. 1
图 1



098599-05501


A100076-2

Fig. 2



096529-05501

Fig. 3



A100076-4

Fig. 4





FIG. 4

Fig. 5

5 / 2 1

~~Fig. 5~~



09065299-052501

A100076-G

Fig. 6

(A)

61a Please select your model 61b

61a D502i 61

custom setting column 60

size: 96 × 120 62

color: ☐ monochrome (2 tones)

☐ monochrome (4 tones)

☒ colors (256 colors)

63 OK 64 cancel

(B)

61a Please select your model 61b

61a D502i 61

61c P501i

N501i

D501i

P502i

N502i

F502i


60

63 OK 64 cancel

FOUO 26269360

A100076-7

Fig. 7




74

76

FIG. 7


Fig. 8

FIG. 8



A100076-9


Fig. 9



T05350"26259360

A00368-10


Fig. 10



T03230"2659360

A100076-11


Fig. 11



A100076-12


Fig. 12-

FOSSD" 26259360




A100076-13

Fig. 13



14 / 21


~~1-4~~
F: 8.14



0925293-26253260

A100076-15

Fig. 15



data transmitting/receiving section

control section

ROM

R A M

user registration processing section. — 115

improgram transfer section

data analysis section

registration check section

URL forming section

image forming section

image holding process section

file forming section

HTML forming section

image display section

registration processing section


usage registration table

transmitting image table

image process section

second image holding process section. — 127

additional data selection section



T09250-26259860

【图17】
Fig.17

FIG. 17




Fig. 18





FIG. 19


Fig. 19

FIG. 19



21/21

Fig. 21
2-1



FOUO 26259860